

CATAHOULA LEGALS

LEGALS CONTINUED FROM PAGE 12A

Public Notice

Spring is here and the Town of Jonesville is working hard to maintain and develop a clean and safe community. Doing so requires that all of us do our part. We are asking that our property owners and residents do our best to rid our community of litter, over grown grass, and other vegetation.

Please be advised that both Litter and Over Grown Grass Ordinances are being enforced as well as other town ordinances. Those of us found to be in violation of these ordinances will be fined in compliance with our town ordinances. Our residents deserve a healthy, safe and clean environment in which to live. It takes all of us to make this happen. We thank those of us who have and are keeping our properties cut and clean. Let us all work to make Jonesville brighter and better. Again, we thank our residents for your support in this matter.

Mayor Ceasor

Whereabouts

Anyone knowing the whereabouts of David Otis Sinclair and Evelyn Jenkins Sinclair contact James Boyd at 318-757-3000



VILLAGE OF HARRISONBURG PUBLIC NOTICE

2020 Annual Consumer Confidence Report (CCR) NOTICE

The Village of Harrisonburg Water Department is pleased to announce the availability of the 2020 Annual Drinking Water Quality Report (CCR). The report is available to review, download and/or print at the following location: villageofharrisonburg.com/ccr2020

Hard Copies are also available at the Village of Harrisonburg Town Hall at 108 Sicily Street, Harrisonburg, La. Please contact the Town Hall with any comments or questions at 318-744-5794.

VILLAGE OF HARRISONBURG PUBLIC NOTICE

2017 Annual Consumer Confidence Report (CCR) NOTICE

The Village of Harrisonburg Water Department is pleased to announce the availability of the 2017 Annual Drinking Water Quality Report (CCR). The report is available to review, download and/or print at the following location: villageofharrisonburg.com/ccr2017

Hard Copies are also available at the Village of Harrisonburg Town Hall at 108 Sicily Street, Harrisonburg, La. Please contact the Town Hall with any comments or questions at 318-744-5794.

NOTICE TO BIDDERS

SP#6019

Sealed bids will be received by the Procurement Section of the Division of Administration, 1201 N. 3rd. St., 2nd. Floor, Suite 2-160, (P.O. Box 94095), Baton Rouge, Louisiana, at 10:00 A.M. for the following:

RFx No. 3000016380 – Trail Project for LDWF, 5/20/21

Bid proposal forms, information and specifications may be obtained by accessing the bid number in LaPac at www.doa.louisiana.gov/osp or from the procurement section listed above. No bids will be received after the date and hour specified. The right is reserved to reject any and all bids and to waive any informalities.

Paula Tregre

Director of State Procurement

FAX (225) 342-8688

NOTICE

7th Judicial District Court

Parish of Catahoula

PROBATE NO. 4115

Suit No. 30,175 "A"

SUCCESSION OF STEWART PAYNE HARDIE

NOTICE IS GIVEN that DONNA MICHELLE HARDIE, Administratrix of the Succession of STEWART PAYNE HARDIE, is applying for authority to sell at private sale, the immovable property owned by the Succession of STEWART PAYNE HARDIE described below.

The Northeast Quarter of the Southeast Quarter of Section 13, Township 8 North, Range 6 East, less and except the following:

Begin at the Southwest corner of the Northeast Quarter of the Southeast Quarter of Section 13, Township 8 North, Range 6 East, run North along the western boundary thereof a distance of 870 feet to a point of beginning of the tract herein described. Together with all buildings and improvements thereon, and contains 13.38 acres, more or less. Together with all buildings and improvements thereon with the above described tract being a total of 26.62 acres, more or less. An order authorizing her to do so may be issued after seven days from the date of second publication of this notice. An opposition to the application may be filed at any time prior to the issuance of such order.

By Order of the Court,

Larissa Field

Clerk of Court, 7th Judicial District, CATAHOULA PARISH, LOUISIANA



WATER WE DRINK

The Water We Drink

VILLAGE OF SICILY ISLAND WATER SYSTEM

Public Water Supply ID: LA1025009

We are pleased to present to you the Annual Water Quality Report for the year 2020. This report is designed to inform you about the quality of your water and services we deliver to you every day (Este informe contiene información muy importante sobre su agua potable. Tradúzcalo o hable con alguien que lo entienda bien). Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. We are committed to ensuring the quality of your water.

Our water source(s) are listed below:

Source Name Source Water Type

WELL #4 - 6DJU Ground Water

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of land or through the ground, it dissolves naturally-occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity. Contaminants that may be present in source water include:

Microbial Contaminants - such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.

Inorganic Contaminants - such as salts and metals, which can be naturally-occurring or result from urban stormwater runoff, industrial, or domestic wastewater discharges, oil and gas production, mining, or farming.

Pesticides and Herbicides - which may come from a variety of sources such as agriculture, urban stormwater runoff, and residential uses.

Organic Chemical Contaminants – including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations, urban stormwater runoff, and septic systems.

Radioactive Contaminants – which can be naturally-occurring or be the result of oil and gas production and mining activities.

A Source Water Assessment Plan (SWAP) is now available from our office. This plan is an assessment of a delineated area around our listed sources through which contaminants, if present, could migrate and reach our source water. It also includes an inventory of potential sources of contamination within the delineated area, and a determination of the water supply's susceptibility to contamination by the identified potential sources. According to the Source Water Assessment Plan, our water system had a susceptibility rating of 'MEDIUM'. If you would like to review the Source Water Assessment Plan, please feel free to contact our office.

In order to ensure that tap water is safe to drink, EPA prescribes regulations which limit the amount of certain contaminants in water provided by public water systems. Food and Drug Administration regulations establish limits for contaminants in bottled water which must provide the same protection for public health. We want our valued customers to be informed about their water utility. If you have any questions about this report, want to attend any scheduled meetings, or simply want to learn more about your drinking water, please contact WALTER KRAUSE at 318-389-4472.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. VILLAGE OF SICILY ISLAND WATER SYSTEM is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at <http://www.epa.gov/safewater/lead>.

The Louisiana Department of Health routinely monitors for constituents in your drinking water according to Federal and State laws. The tables that follow show the results of our monitoring during the period of January 1st to December 31st, 2020. Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk.

In the tables below, you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms, we've provided the following definitions:

Parts per million (ppm) or Milligrams per liter (mg/L) – one part per million corresponds to one minute in two years or a single penny in \$10,000.

Parts per billion (ppb) or Micrograms per liter (ug/L) – one part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000.

Picocuries per liter (pCi/L) – picocuries per liter is a measure of the radioactivity in water.

Treatment Technique (TT) – an enforceable procedure or level of technological performance which public water systems must follow to ensure control of a contaminant.

Action level (AL) – the concentration of a contaminant that, if exceeded, triggers treatment or other requirements that a water system must follow.

Maximum contaminant level (MCL) – the "Maximum Allowed" MCL is the highest level of a contaminant that is allowed in drinking water. MCL's are set as close to the MCLG's as feasible using the best available treatment technology.

Maximum contaminant level goal (MCLG) – the "Goal" is the level of a contaminant in drinking water below which there is no known or expected risk to human health. MCLG's allow for a margin of safety.

Maximum residual disinfectant level (MRDL) – The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

Maximum residual disinfectant level goal (MRDLG) – The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Level 1 assessment – A study of the water system to identify potential problems and determine (if possible) why total coliform bacteria have been found in our water system.

Level 2 Assessment – A very detailed study of the water system to identify potential problems and determine (if possible) why an E. coli MCL violation has occurred and/or why total coliform bacteria have been found in our water system on multiple occasions.

During the period covered by this report we had the below noted violations.

Compliance Period Analyte Type

No Violations Occurred in the Calendar Year of 2020

Our water system tested a minimum of 1 samples per month in accordance with the Total Coliform Rule for microbiological contaminants. With the microbiological samples collected, the water system collects disinfectant residuals to ensure control of microbial growth.

Disinfectant	Date	Highest	RAA	U	n	i	t
Range	MRDL	MRDLG	Typical	Source			
CHLORINE		2020	2	ppm	0.44		
-3.6	4	4		Water additive used to control microbes.			

In the tables below, we have shown the regulated contaminants that were detected. Chemical Sampling of our drinking water may not be required on an annual basis; therefore, information provided in this table refers back to the latest year of chemical sampling results. To determine compliance with the primary drinking water standards, the treated water is monitored when a contaminant is elevated in the source water.

Source Water Regulated Contaminants	Collection Date	Highest Value	Range	Unit	M	C	L	G
Typical Source								
FLUORIDE	7/23/2020	0.2	0	.2				
ppm	4	4		Erosion of natural deposits; Water additive which promotes strong teeth; Discharge from fertilizer and aluminum factories				

Treated Water Regulated Contaminants	Collection Date	Highest Value	Range	Unit	M	C	L
MCLG	Typical Source						
No Detected Results were Found in the Calendar Year of 2020							

Source Water Radiological Contaminants	Collection Date	Highest Value	Range	Unit	M	C	L
MCLG	Typical Source						
COMBINED RADIUM (-226 & -228)	9/18/2020	0.975	0.975	pCi/l	5	0	
				Erosion of natural deposits			

GROSS BETA PARTICLE ACTIVITY	9/18/2020	2.84	2.84	pCi/l	50	0	
				Decay of natural and man-made deposits. Note: The gross beta particle activity MCL is 4 millirems/year annual dose equivalent to the total body or any internal organ. 50 pCi/L is used as a screening level.			

Treated Water Radiological Contaminants	Collection Date	Highest Value	Range	Unit	M	C	L
MCLG	Typical Source						
No Detected Results were Found in the Calendar Year of 2020							

Lead and Copper	Date	90TH Percentile	Range	Unit	AL	Sites
Over AL	Typical Source					
COPPER, FREE	2017 - 2019	0.4	0 - 0.8	ppm		
1.3	0			Corrosion of household plumbing systems; Erosion of natural deposits; Leaching from wood preservatives		

LEAD	2017 - 2019	4	0 - 10	ppb	15	0
				Corrosion of household plumbing systems; Erosion of natural deposits		

Disinfection Byproducts	Sample Point	Period
Highest LRAA	Range	Unit
Typical Source	MCL	M
	C	L
	G	
TOTAL HALOACETIC ACIDS (HAA5)	101	SICILY ST

2020	6	6.3 - 6.3	ppb	60	0	B	y
product of drinking water disinfection							
TOTAL HALOACETIC ACIDS (HAA5)	117	HIGHWAY	15				

2020	10	9.8 - 9.8	ppb	60	0	B	y
product of drinking water disinfection							
TTHM	101	SICILY ST	2020	19	18.7 - 18.7		

ppb	80	0				By-product of drinking water chlorination
TTHM	117	HIGHWAY	15	2020	32	32.4 - 32.4
ppb	80	0				By-product of drinking water chlorination

Source Secondary Contaminants	Collection Date	Highest Value	Range	Unit	SMCL
ALUMINUM	7/23/2020	0.02	0	.02	
MG/L	0.2				
CHLORIDE	7/23/2020	130	1	30	
MG/L	250				
IRON	7/23/2020	0.17	0.17	MG/L	0.3
MANGANESE	7/23/2020	0.05	0	.05	
MG/L	0.05				
PH	7/23/2020	8.03	8.03	PH	8.5

Treated Secondary Contaminants	Collection Date	Highest Value	Range	Unit	SMCL
No Detected Results were Found in the Calendar Year of 2020					

Unresolved significant deficiencies that were identified during a survey done on the water system are shown below.

Date Identified	Facility Code	Activity	Due Date
05/29/2018	WATER SYSTEM	SE14	GWR ADDRESS
TT45	DEFICIENCIES	1/31/2019	SECURITY
05/29/2018	DISTRIBUTION SYSTEM	C C 1 7	
GWR ADDRESS	TT45	DEFICIENCIES	1/31/2019
L A C	51.XII.344	- Protection of Water Supply/Containment Practices	
05/29/2018	WELL #4 - 6DJU	SO38	G W R
ADDRESS	TT45	DEFICIENCIES	1/31/2019
SRC	WL - LAC	51.XII.319.D.7	- Pathway for Contamination

Environmental Protection Agency Required Health Effects Language

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available from the Safe Drinking Water Hotline (800-426-4791).

There are no additional required health effects notices.

There are no additional required health effects violation notices.

Thank you for allowing us to continue providing your family with clean, quality water this year. In order to maintain a safe and dependable water supply we sometimes need to make improvements that will benefit all of our customers.

We at the VILLAGE OF SICILY ISLAND WATER SYSTEM work around the clock to provide top quality drinking water to every tap. We ask that all our customers help us protect and conserve our water sources, which are the heart of our community, our way of life, and our children's future. Please call our office if you have questions.

This notice will not be mailed directly to the consumer. Should you desire a paper copy of this report, please contact the Village of Sicily Island at 318-389-4472.

Environmental Protection Agency Required Health Effects Language

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available from the Safe Drinking Water Hotline (800-426-4791).

There are no additional required health effects notices.

There are no additional required health effects violation notices.

Thank you for allowing us to continue providing your family with clean, quality water this year. In order to maintain a safe and dependable water supply we sometimes need to make improvements that will benefit all of our customers.

We at the VILLAGE OF SICILY ISLAND WATER SYSTEM work around the clock to provide top quality drinking water to every tap. We ask that all our customers help us protect and conserve our water sources, which are the heart of our community, our way of life, and our children's future. Please call our office if you have questions.

This notice will not be mailed directly to the consumer. Should you desire a paper copy of this report, please contact the Village of Sicily Island at 318-389-4472.